

WE CLAIM:

1. An isolated oligonucleotide having a nucleotide sequence selected from the group consisting of SEQ ID NO: 3, SEQ ID NO 4, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11 and SEQ ID NO: 12.
2. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
3. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
4. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
5. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
6. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
7. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
8. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
9. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:
10. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:

11. The oligonucleotide of claim 1 wherein the sequence is SEQ ID NO:  
12.

12. An oligonucleotide probe comprising one or more oligonucleotides  
of claim 1 wherein said probe has the formula

5 [X-Y-Z]<sub>n</sub>

wherein X is a sequence of 0 to 100 nucleotides or nucleotide analogs;

Y is said one or more oligonucleotides,

Z is a sequence of 0 to 100 nucleotides or nucleotide analogs, and

N is 1-500.

10

13. An isolated oligonucleotide having a nucleotide sequence selected  
from the group consisting of SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 15,  
SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO:  
20, SEQ ID NO: 21, SEQ ID NO: 22, and SEQ ID NO: 23.

15

14. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 13.

15. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 14.

20

16. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 15.

17. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 16.

18. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 17.

19. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 18.

20. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 19.

5 21. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 20.


22. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 21.

10 23. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 22.

24. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 23.

25. The oligonucleotide of claim 13 wherein the sequence is SEQ ID  
NO: 23.

15 26. An oligonucleotide probe comprising one or more oligonucleotides  
of claim 13 wherein said probe has the formula



wherein X is a sequence of 0 to 100 nucleotides or nucleotide analogs;

Y is said one or more oligonucleotide, and

20 Z is a sequence of 0 to 100 nucleotides or nucleotide analogs, and

N is 1-500.

27. A pair of oligonucleotides selected from the group of  
oligonucleotides having the nucleotide sequences SEQ ID NO: 15 and SEQ ID NO:

8; SEQ ID NO: 16 and SEQ ID NO: 8; SEQ ID NO: 17 and SEQ ID NO: 20 and  
SEQ ID NO:21 and SEQ ID NO: 8.

28. The pair of oligonucleotides of claim 27 wherein the nucleotide  
sequences of the oligonucleotides are SEQ ID NO:15 and SEQ ID NO:8.

5 29. The pair of oligonucleotides of claim 27 wherein the nucleotide  
sequences of the oligonucleotides are SEQ ID NO:16 and SEQ ID NO:8

30. The pair of oligonucleotides of claim 27 wherein the nucleotide  
sequences of the oligonucleotides are SEQ ID NO:17 and SEQ ID NO:20.

10 31. The pair of oligonucleotides of claim 27 wherein the nucleotide  
sequences of the oligonucleotides are SEQ ID NO:21 and SEQ ID NO:8

32. A method of detecting a raphidophyte cell, comprising:

a) permeabilizing said cell to expose the ribosomal RNA of  
said cell wherein said RNA has hypervariable regions;

15 b) contacting the exposed RNA under hybridizing conditions  
with oligonucleotide probes capable of selectively hybridizing to said hypervariable  
regions to form a hybridization complex and

c) identifying said hybridization complex to detect said  
raphidophyte cell.

20 33. The method of claim 32 wherein said hybridization complex is  
identified in a sandwich hybridization assay.

34. The method of claim 32 wherein said hybridization complex is  
identified in a fluorescent in situ hybridization assay.

35. The method of claim 32 wherein said oligonucleotide probes have  
sequences selected from the group consisting of SEQ ID NO: 3, SEQ ID NO 4,

SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9,  
SEQ ID NO: 10, SEQ ID NO: 11 and SEQ ID NO: 12.

36. The method of claim 32 wherein said oligonucleotide probes have  
sequences selected from the group consisting of SEQ ID NO: 13, SEQ ID NO: 14,  
5 SEQ ID NO: 15, SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO:  
19, SEQ ID NO: 20, SEQ ID NO: 21, SEQ ID NO: 22 and SEQ ID NO:23.

37. An oligonucleotide kit for detection of raphidophyte cells  
comprising one or more oligonucleotides having a nucleotide sequence selected  
from the group consisting of SEQ ID NO: 3, SEQ ID NO 4, SEQ ID NO: 5, SEQ  
10 ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 10, SEQ  
ID NO: 11 and SEQ ID NO: 12.

38. The kit of claim 37 further including one or more hybridization  
buffers.

39. An oligonucleotide kit for detection of raphidophyte cells  
15 comprising one or more oligonucleotides having a nucleotide sequence selected  
from the group consisting of SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 15,  
SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO:  
20, SEQ ID NO: 21, and SEQ ID NO: 22 and SEQ ID NO:23.

40. The kit of claim 39 further including one or more hybridization  
20 buffers.